

2307140670 - VIBRANT AMERICA DEMO

FINAL REPORT

Accession ID: 2307140670

Name: 2307140670 - VIBRANT AMERICA DEMO
Date of Birth: 01-01-1111
Gender: Male
Age: 01
Height:
Weight:
Fasting: NOT FASTING

Telephone: 000-000-0000
Street Address:
Email:

Provider Information

Practice Name: DEMO CLIENT, MD Telephone: 000-000-0000
Provider Name: DEMO CLIENT, MD Address: 3521 Leonard Ct, Santa Clara, CA 95054
Phlebotomist: 0

Report Information

Current Result Previous Result In Control Moderate Risk

Specimen Information

Sample Type	Collection Time	Received Time	Report	Final Report Date
Serum	2023-08-11 09:05 (PDT)	2023-08-12 13:25 (PDT)	Vibrant America - P2	2023-08-21 12:23 (PDT)

Regulation Statement: Tests indicated with an asterisk (*) were developed by and performance characteristics were determined by Vibrant America. These tests are not FDA-cleared or approved. The performance characteristics were determined and validated by Vibrant America in a manner consistent with CLIA requirements. The laboratory is regulated under CLIA and is CAP certified hence qualified to perform high-complexity testing. This test is used for clinical purposes. It should not be regarded as investigational or for research. Tests indicated with ¹ were performed at Vibrant Genomics. Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809. CLF: 00346278. Vibrant America Clinical Laboratory, 3521 Leonard Ct, Santa Clara, CA 94054. Phone: +1(866)364-0963; Fax: +1(650)508-8260; Email: support@vibrant-america.com.






TNP Test not performed

R&L Refer to risks and limitations at the end of report

Notes Refer to Lab notes at the end of the table








Rheumatoid Arthritis

Test Name	Current	Previous	Result	Reference
Anti-CCP3 IgG and IgA (U)	4			≤19.0
hs-CRP (mg/L)	0.5	0.4 (07-31-2020)		≤0.9
RF IgM (IU/mL)	11			≤14.0

ANA IFA Panel*

Test Name	Current	Pattern	Titer	Previous	Pattern	Titer
ANA	Negative	Not Applicable	< 1:40			

ENA 11 Profile

Test Name	Current	Previous	Result	Reference
Centromere* (U)	0.40			≤1.0
Chromatin* (U)	0.57			≤1.0
dsDNA (IU/ml)	<2.6			≤99.9
Histone* (U)	0.45			≤1.0
Jo-1* (U)	0.45			≤1.0
RNA POL III* (U)	0.59			≤1.0
RNP* (U)	0.43			≤1.0
Scl-70 (U)* (U)	0.44			≤1.0
Sm* (U)	0.42			≤1.0
SSA (Ro)* (U)	0.51			≤1.0
SSB (La)* (U)	0.38			≤1.0

Risk and Limitations

All tests has been verified and its performance characteristics validated by Vibrant America LLC., a CLIA and CAP certified lab. Clinical history and current symptoms of the individual must be considered by the healthcare provider prior to any interventions. Test results should be used as one component of a healthcare provider's clinical assessment.

Vibrant America has effective procedures in place to protect against technical and operational problems. However, such problems may still occur. Examples include failure to obtain the result for a specific test due to circumstances beyond Vibrant's control. Vibrant may re-test a sample to obtain these results but upon re-testing the results may still not be obtained. As with all medical laboratory testing, there is a small chance that the laboratory could report incorrect results. A tested individual may wish to pursue further testing to verify any results.

Vibrant America makes no claims as to the diagnostic or therapeutic use of its tests or other informational materials. Vibrant America reports and other information do not constitute medical advice and are not a substitute for professional medical advice. Please consult your healthcare practitioner for questions regarding test results, or before beginning any course of medication, supplementation, or dietary changes.

SAMPLE